

**GOVERNMENT OF NCT OF DELHI
DEPARTMENT OF HEALTH & FAMILY WELFARE
9TH LEVEL, A WING, DELHI SECRETARIAT
I.P. ESTATE, NEW DELHI-110002**

File No.PA/SS-II/H&FW/2020/Covid-19/Part-VI/771

Dated:28.4.21

ORDER

A detailed inter-se allocation of oxygen to hospitals in Delhi was worked out vide this Department order of even number 669 dated 27.04.20221 and it's partial modification order No.770 dated 27.04.2021. In partial modification of these orders, the following are ordered:

1. The hospitals which use cylinders were allowed to receive their allotted quantity from any of the re-filling plants mentioned in Annexure of the aforesaid orders. Now, specific supplier is allotted to each hospital to get their supply of oxygen out of total allotted quantity of oxygen. (Annexure-C).
2. For every refiller a link re-filler has also been provided in Annexure-C. The hospitals are at liberty to source their supply from link re-filler if there are capacity constraints at the main supplier or the refilling at link supplier can be faster in cases of emergency.
3. While all care has been taken to compile this order, it is possible that all hospitals may not have been optimally linked to their preferred supplier. In such an instance, any hospital or refiller-may provide details of proposed modification, alongwith justifications on e-mail address oxygen.delhi2021@gmail.com.
4. All suppliers (including refillers) and hospital shall continue to update the details of quantity of oxygen dispatched and received either from main source or link refiller at the website <http://cfwcst.delhi.gov.in> on a daily basis.

The rest of contents of this Department's orders No.669 dated 27.04.2021 and Order No.770 dated 27.04.2021 shall remain unchanged.

Encl: Annexure-C.



28.4.21
**Dy. Secretary (H&FW)
Health and Family Welfare**

ANNEXURE C

S.No.	Facility Name	Oxygen Support Beds as on 24/4/2021	Oxygen requirement as per GOI formula for NON ICU(MT)	ICU Beds available as on 24/4/2021	Oxygen requirement as per GOI formula for ICU(MT)	Total Oxygen requirement(MT)	Total Allocation based on 445 MT	MAIN REFILLER	LINK REFILLER
49	AASTHA HOSPITAL	20	0.19	10	0.4	0.6	0.5	Shyam	Mamta Gases
50	Acharyashree Bhikshu Govt. Hospital	95	1.53	13	0.6	2.1	1.8	Vinayak	Bhardwaj Gas & Hardware Store
51	Akash Healthcare, Dwarka	233	3.40	51	2.3	5.7	4.7	Seth Air	Mamta Gases
52	Alshifa Hospital	35	0.32	18	0.8	1.1	0.9	Vaibhav	Mamta Gases
53	Ansari Hospital, Sagarpur	40	0.65	5	0.2	0.9	0.7	Vinayak	Mamta Gases
54	Apex City Hospital, West Vinod Nagar	28	0.45	4	0.2	0.6	0.5	Saraswati Gas	Mamta Gases
55	Ardent Ganpati Gases	10	0.11	4	0.2	0.3	0.2	Paramount Cryo Gases, Mundka	Multan Air, Bawana
56	Ayushman Hospital, Dwarka	118	1.65	30	1.3	3.0	2.5	Multan Air, Bawana	Paramount Cryo Gases, Mundka
57	B.M. Gupta Hospital, Uttam Nagar	70	0.94	20	0.9	1.8	1.5	Surya Gas	Paramount Cryo Gases, Mundka
58	Bansal Global Hospital, Jahangirpuri	43	0.62	10	0.4	1.1	0.9	Seth Air	Paramount Cryo Gases, Mundka
59	Bansal Hospital & Research Centre, New Friends Colony	40	0.56	10	0.4	1.0	0.8	Seth Air	Paramount Cryo Gases, Mundka
60	Bensups Hospital, Dwarka	25	0.19	15	0.7	0.9	0.7	Sani Gases	Paramount Cryo Gases, Mundka
61	Bhagat Chandra Hospital, Mahavir Enclave, Dwarka	81	0.99	28	1.3	2.2	1.9	Vinayak	Paramount Cryo Gases, Mundka
62	Bhagwan Mahavir Hospital, Madhuban Chowk	29	0.34	11	0.5	0.8	0.7	Ken Surgical	Vinayak
63	Bhagwati Hospital, Rohini	80	1.22	15	0.7	1.9	1.6	Ganpati Gases	Vinayak
64	Bhatia Global Hospital, Paschim Vihar	24	0.34	6	0.3	0.6	0.5	Durga	Vinayak
65	Bimla Devi Hospital	8	0.15	0	0.0	0.1	0.1	Durga	Vinayak
66	CD Global Hospital, Najafgarh Road	12	0.11	6	0.3	0.4	0.3	Asian Gas	Multan Air, Bawana
67	Cygnus MLS, Rama Vihar	59	0.94	9	0.4	1.3	1.1	Multan Air, Bawana	Ken Surgical
68	Cygnus Sonia Hospital, Nangloi	37	0.34	19	0.9	1.2	1.0	Seth Air	Paramount Cryo Gases, Mundka
69	Delhi Heart & Lung Institute, Pachkuan Road	69	0.79	27	1.2	2.0	1.7	Seth Air	Vinayak
70	Dharamshila Narayana Hosp., Vasundhra Enclave	80	1.23	14	0.6	1.9	1.6	Salasar Gases Phoot Khurd, Delhi	Vinayak
71	Dharamvir Solanki Hospital, Rohini	17	0.13	10	0.4	0.6	0.5	Salasar Gases Phoot Khurd, Delhi	Ken Surgical
72	Divya Prastha Hospital, Palam Colony	75	1.18	12	0.5	1.7	1.4	Shyam	Ken Surgical
73	Dr. Chaudhary Moral Hospital, Yamuna Vihar	30	0.56	0	0.0	0.6	0.5	Saraswati Gas	Goyal
74	East Delhi Medical Centre Mansarovar Park	42	0.60	10	0.4	1.0	0.9	Shahdara	Ken Surgical

ANNEXURE C

S.No.	Facility Name	Oxygen Support Beds as on 24/4/2021	Oxygen requirement as per GOI formula for NON ICU(MT)	ICU Beds available as on 24/4/2021	Oxygen requirement as per GOI formula for ICU(MT)	Total Oxygen requirement(MT)	Total Allocation based on 445 MT	MAIN REFILLER	LINK REFILLER
75	ESIC Hospital Jhilmil	67	1.16	5	0.2	1.4	1.2	Multan Air, Bawana	Aggarwal Gases, Bawana
76	Gandhi Nursing Home, Uttam Nagar	44	0.45	20	0.9	1.3	1.1	Salasar Gases Phoot Khurd, Delhi	Multan Air, Bawana
77	Garg Hospital, Karkardooma	33	0.56	3	0.1	0.7	0.6	Saraswati Gas	Ken Surgical
78	Goyal Hospital & Urology Centre, Krishna Nagar	70	0.99	17	0.8	1.8	1.5	Vinayak	Ken Surgical
79	Goyal Hospital, Paschim Vihar	12	0.09	7	0.3	0.4	0.3	Paramount Cryo Gases, Mundka	Ken Surgical
80	Gupta Multispecialty Hospital, Vivek Vihar	26	0.43	3	0.1	0.6	0.5	Saraswati Gas	Ken Surgical
81	GURU NANAK EYE CENTRE (ANNEXED TO LOK NAYAK HOSPITAL)	7	0.13	0	0.0	0.1	0.1	Saraswati Gas	Ken Surgical
82	HAHC Hospital, Hamdard Nagar	82	1.08	24	1.1	2.2	1.8	Seth Air	Multan Air, Bawana
83	IBS Hospital, Lajpat Nagar	32	0.37	12	0.5	0.9	0.8	Seth Air	Multan Air, Bawana
84	Indian spinal injury centre,Vasant Kunj	152	2.58	14	0.6	3.2	2.7	Seth Air	Multan Air, Bawana
85	Irene Hospital, Kalkaji	34	0.54	5	0.2	0.8	0.6	Seth Air	Vaibhav
86	Ishan Hospital, Rohini	9	0.07	5	0.2	0.3	0.2	Ganpati Gases	Seth Air
87	Jain Hospital, Vikas Marg Extn.	10	0.06	7	0.3	0.4	0.3	Vinayak	Seth Air
88	Jeevan Anmol Hospital, Mayur Vihar Phase-I	58	0.90	10	0.4	1.3	1.1	Seth Air	Seth Air
89	Jeewan Mala Hospital, Rohtak Road	40	0.69	3	0.1	0.8	0.7	Vinayak	Seth Air
90	Jeewan Moti Khera Hospital, Nangloi	25	0.39	4	0.2	0.6	0.5	Ken Surgical	Seth Air
91	Jeewan Nursing Home, Pusa Road	25	0.34	7	0.3	0.7	0.5	Multan Air, Bawana	Seth Air
92	K K Surgical & Maternity Centre	40	0.75	0	0.0	0.7	0.6	Durga	Seth Air
93	Kalra Hospital, Dwarka	20	0.37	0	0.0	0.4	0.3	Seth Air	Durga
94	Kalra Hospital, Kirti Nagar	93	1.14	32	1.4	2.6	2.1	Seth Air	Durga
95	Kapil Multispecialty Hospital, Nathupura	40	0.67	4	0.2	0.9	0.7	Aggarwal Gases, Bawana	Durga
96	Khandelwal Hospital And Urology Center	30	0.45	6	0.3	0.7	0.6	Saraswati Gas	Durga
97	Konark Hospital, Nangloi	2	0.04	0	0.0	0.0	0.0	Paramount Cryo Gases, Mundka	Durga
98	Kosmos Super Specialty Hospital, Vikas Marg Extn.	24	0.26	10	0.4	0.7	0.6	Saraswati Gas	Durga
99	Kukreja Hospital and Heart Centre, Rajouri Garden	72	0.86	26	1.2	2.0	1.7	Asian Gas	Durga
100	Kukreja Hospital, Mayur Vihar	20	0.28	5	0.2	0.5	0.4	Durga	Durga
101	Lalita Hospital, Begumpur	25	0.39	4	0.2	0.6	0.5	Bhardwaj Gas & Hardware Store	Salasar Gases Phoot Khurd, Delhi
102	Madhukar Rainbow Children Hosp., Malviya Nagar	45	0.36	26	1.2	1.5	1.3	Seth Air	Durga

ANNEXURE C

S.No.	Facility Name	Oxygen Support Beds as on 24/4/2021	Oxygen requirement as per GOI formula for NON ICU(MT)	ICU Beds available as on 24/4/2021	Oxygen requirement as per GOI formula for ICU(MT)	Total Oxygen requirement(MT)	Total Allocation based on 445 MT	MAIN REFILLER	LINK REFILLER
103	Maha Durga Charitable Trust Hospital	130	1.87	30	1.3	3.2	2.7	Seth Air	Bhardwaj Gas & Hardware Store
104	Maharaja Agarsain Multispecialty Hospital, Narela	40	0.67	4	0.2	0.9	0.7	Aggarwal Gases, Bawana	Durga
105	Malik Radix Hospital	41	0.50	14	0.6	1.1	0.9	Vinayak	Vinayak
106	Mansaram Hospital, Nangloi	42	0.60	10	0.4	1.0	0.9	Multan Air, Bawana	Ken Surgical
107	Mata Roop Rani Maggo Hospital, Uttam Nagar	55	0.73	16	0.7	1.4	1.2	Surya Gas	Vinayak
108	Medeor Hospital, Qutab Instl. Area	55	0.80	12	0.5	1.3	1.1	Aggarwal Gases, Bawana	Vinayak
109	Medstar Hospital, Paschim Vihar	18	0.07	14	0.6	0.7	0.6	Aggarwal Gases, Bawana	Seth Air
110	Metro Hospital, Lajpat Nagar	33	0.36	14	0.6	1.0	0.8	Seth Air	Seth Air
111	Metro Hospital, Preet Vihar	110	1.65	22	1.0	2.6	2.2	Seth Air	Vinayak
112	Navjeevan Hospital, Pitampura	60	0.95	9	0.4	1.4	1.1	Vinayak	Ken Surgical
113	Nestiva Hospital	16	0.22	4	0.2	0.4	0.3	Kapil	Vaibhav
114	NKS Hospital, Gulabi Bagh	70	0.62	37	1.7	2.3	1.9	Orbit	Naraina
115	Panchsheel Hospital, Yamuna Vihar	24	0.30	8	0.4	0.7	0.5	Goyal	Saraswati Gas agency
116	Park Hospital, Meera Bagh	50	0.19	40	1.8	2.0	1.7	Vinayak	Orbit
117	PGH Hospital, Vikas Nagar	37	0.56	7	0.3	0.9	0.7	Aggarwal Gases, Bawana	Surya Gases
118	Primus Super Specialty Hospital, Chanakyapuri	111	1.40	36	1.6	3.0	2.5	Multan Air, Bawana	Multan Air, Bawana
119	Pushpanjali Medical Centre, Pushpanjali Enclave, Vikas Marg Ext.	35	0.47	10	0.4	0.9	0.8	Vinayak	Multan Air, Bawana
120	Pushpawati Singhania Hospital, Saket	292	4.75	38	1.7	6.5	5.4	Goyal	Ken Surgical
121	Rathi Hospital, Najafgarh	65	0.82	21	0.9	1.8	1.5	Ken Surgical	Goyal
122	Revive Hospital,tilak nagar	28	0.24	15	0.7	0.9	0.8	Martha Gases	Goyal
123	Samar Hospital, Dwarka	31	0.47	6	0.3	0.7	0.6	Dada Dev	Ken Surgical
124	Sanjay Gandhi Memorial Hospital	98	1.46	20	0.9	2.4	2.0	Aggarwal Gases, Bawana	Dada Dev
125	Sanjeevan Medical Res. , Daryaganj	30	0.49	4	0.2	0.7	0.6	Aggarwal Gases, Bawana	Ken Surgical
126	Sant Parmanand Hospital, Civil Lines	63	0.90	15	0.7	1.6	1.3	Seth Air	Ken Surgical
127	Santom Hospital, Prashant Vihar	88	1.12	28	1.3	2.4	2.0	Seth Air	Ken Surgical
128	Sardar Patel Covid Army hospital	314	4.68	64	2.9	7.5	6.3	Kapil	Asian Gas
129	SATYA MULTISPECIALITY HOSPITAL	13	0.19	3	0.1	0.3	0.3	Surya Gas	Asian Gas
130	Satyabhama Hospital, Nangloi	44	0.19	34	1.5	1.7	1.4	Asian Gas	Shyam
131	Satyawati Harishchand Hsopital	212	3.68	15	0.7	4.4	3.6	Seth Air	Shyam

ANNEXURE C

S.No.	Facility Name	Oxygen Support Beds as on 24/4/2021	Oxygen requirement as per GOI formula for NON ICU(MT)	ICU Beds available as on 24/4/2021	Oxygen requirement as per GOI formula for ICU(MT)	Total Oxygen requirement(MT)	Total Allocation based on 445 MT	MAIN REFILLER	LINK REFILLER
132	Savitri Hospital	25	0.22	13	0.6	0.8	0.7	Paramount Cryo Gases, Mundka	Shyam
133	Sehgal Neo Hospital, Paschim Vihar	52	0.73	13	0.6	1.3	1.1	Paramount Cryo Gases, Mundka	Asian Gas
134	Shakuntala Nursing Home, West Sagarpur	15	0.19	5	0.2	0.4	0.3	Dada Dev	Asian Gas
135	Shree Agarsain International Hospital, Rohini- 22	224	2.73	78	3.5	6.2	5.2	Vinayak	Asian Gas
136	Shree Hospital	20	0.37	0	0.0	0.4	0.3	Paramount Cryo Gases, Mundka	Shyam
137	Shri Ram Singh Hospital, Krishna Nagar	20	0.24	7	0.3	0.6	0.5	Vinayak	Asian Gas
138	Sitaram Bhartia Institute of Science & Res., Qutab Institutional Area	25	0.36	6	0.3	0.6	0.5	Seth Air	Asian Gas
139	SMS Hospital, Gagan Vihar	12	0.13	5	0.2	0.4	0.3	Saraswati Gas	Asian Gas
140	Surya Hospital, Krishna Nagar	40	0.65	5	0.2	0.9	0.7	Saraswati Gas	Shree Krishna
141	SURYA KIRAN HOSPITAL	30	0.37	10	0.4	0.8	0.7	Shree Krishna	Multan Air, Bawana
142	Sushila Hospital	40	0.56	10	0.4	1.0	0.8	Multan Air, Bawana	Shree Krishna
143	Tarak Hospital, Uttam Nagar	42	0.32	25	1.1	1.4	1.2	Multan Air, Bawana	Shree Krishna
144	Tulsi Multispeciality Hospital & Critical Care Unit	15	0.24	2	0.1	0.3	0.3	Durga	Vaibhav
145	Universal Centre of Health services, Kalkaji	50	0.94	0	0.0	0.9	0.8	Vaibhav	Durga
146	Venkateshwar Hospital, Dwarka	290	4.38	56	2.5	6.9	5.7	Seth Air	Vinayak
147	Vikas Hospital, Najafgarh	40	0.54	11	0.5	1.0	0.9	Vinayak	Seth Air
148	World Brain Center Hospital	31	0.37	11	0.5	0.9	0.7	Vinayak	Seth Air

ANNEXURE C

Sr. No	Name of Refiller	Allocated Quantity	Supply from Linde	Supply from Air Liquide
1	Aggarwal Gases, Bawana	6.37		6.37
2	Asian Gas	3.43		3.43
3	Bhardwaj Gas & Hardware Store	0.48		0.48
4	Dada Dev	0.96		0.96
5	Durga	1.95		1.95
6	Ganpati Gases	1.82		1.82
7	Goyal	5.92		5.92
8	Kapil	6.62	6.62	
9	Ken Surgical	2.64		2.64
10	Mamta Gases	0.76		0.76
11	Multan Air, Bawana	10.73		10.73
12	Orbit	1.90		1.90
13	Paramount Cryo Gases, Mundka	2.69		2.69
14	Salasar Gases Phoot Khurd, Delhi	3.16		3.16
15	Sani Gases	0.72		0.72
16	Saraswati Gas	4.37		4.37
17	Seth Air	38.71	38.71	
18	Shahdara	0.87		0.87
19	Shree Krishna	0.69		0.69
20	Shyam	1.96		1.96
21	Surya Gas	3.00		3.00
22	Vaibhav	1.72		1.72
23	Vinayak	18.55		18.55
Grand Total		120	45	75